

三片式離合齒

| No. | 型號 | | 外徑 | 外徑 | 內徑 | 齒數 | 齒幅 | 齒頂厚度 | 內部厚度 | 齒總厚度 | 固定螺栓孔 | | | | | 定位梢孔 | | | | 退出螺栓孔 | | | 有效節圓齒頂距 | 容許節圓齒頂距 |
|-----|------------|------------------|-----|-----|-----|----|----|-------|------|------|-------|-------|-----|------|------|------|-------|------|----|-------|-------|----------|---------|---------|
| | | | | | | | | | | | 孔數 | P.C.D | 孔徑 | 上徑 | 孔徑深 | 梢孔數 | P.C.D | 孔角度 | 外徑 | 牙孔數 | P.C.D | 牙規格 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| 01 | C24110-040 | V _{1,X} | 110 | - | 40 | 24 | 14 | 16.75 | 11.5 | 30 | 6 | 60 | 6.6 | 11 | 6 | 2 | 60 | 30 | 8 | 2 | 60 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 170 | - | 24 | - | 16.75 | 11.5 | 30 | 8 | 140 | 9 | 14 | 8.5 | 2 | 140 | 22.5 | 8 | 2 | 140 | M8x1.25 | 1.75 | 1.55 |
| 02 | C30110-040 | V _{1,X} | 110 | - | 40 | 30 | 14 | 16.75 | 11.5 | 30 | 6 | 60 | 6.6 | 11 | 6 | 2 | 60 | 30 | 8 | 2 | 60 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 170 | - | 30 | - | 16.75 | 11.5 | 30 | 8 | 140 | 9 | 14 | 8.5 | 2 | 140 | 22.5 | 8 | 2 | 140 | M8x1.25 | 1.75 | 1.55 |
| 03 | C24135-060 | V _{1,X} | 135 | - | 60 | 24 | 18 | 18.75 | 13.5 | 34 | 6 | 80 | 6.6 | 11 | 6 | 2 | 80 | 30 | 8 | 2 | 80 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 175 | - | 24 | - | 18.75 | 13.5 | 34 | 8 | 150 | 9 | 14 | 8.5 | 2 | 150 | 22.5 | 8 | 2 | 150 | M8x1.25 | 1.75 | 1.55 |
| 04 | C30135-060 | V _{1,X} | 135 | - | 60 | 30 | 18 | 18.75 | 13.5 | 34 | 6 | 80 | 6.6 | 11 | 6 | 2 | 80 | 30 | 8 | 2 | 80 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 175 | - | 30 | - | 18.75 | 13.5 | 34 | 8 | 150 | 9 | 14 | 8.5 | 2 | 150 | 22.5 | 8 | 2 | 150 | M8x1.25 | 1.75 | 1.55 |
| 05 | C24165-080 | V _{1,X} | 165 | - | 80 | 24 | 20 | 20.75 | 15.5 | 38 | 6 | 100 | 6.6 | 11 | 6 | 2 | 100 | 30 | 8 | 2 | 100 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 220 | - | 24 | - | 20.75 | 15.5 | 38 | 8 | 195 | 11 | 17.5 | 10.5 | 2 | 195 | 22.5 | 10 | 2 | 195 | M10x1.5 | 1.75 | 1.55 |
| 06 | C30165-080 | V _{1,X} | 165 | - | 80 | 30 | 20 | 20.75 | 15.5 | 38 | 6 | 100 | 6.6 | 11 | 6 | 2 | 100 | 30 | 8 | 2 | 100 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 220 | - | 30 | - | 20.75 | 15.5 | 38 | 8 | 195 | 11 | 17.5 | 10.5 | 2 | 195 | 22.5 | 10 | 2 | 195 | M10x1.5 | 1.75 | 1.55 |
| 07 | C24200-120 | V _{1,X} | 200 | - | 120 | 24 | 20 | 21.75 | 16.5 | 40 | 8 | 140 | 9 | 14 | 8 | 2 | 140 | 22.5 | 8 | 2 | 140 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 255 | - | 24 | - | 21.75 | 16.5 | 40 | 10 | 222 | 11 | 17.5 | 10.5 | 2 | 222 | 18 | 10 | 2 | 222 | M10x1.5 | 1.75 | 1.55 |
| 08 | C30200-120 | V _{1,X} | 200 | - | 120 | 30 | 20 | 21.75 | 16.5 | 40 | 8 | 140 | 9 | 14 | 8 | 2 | 140 | 22.5 | 8 | 2 | 140 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 255 | - | 30 | - | 21.75 | 16.5 | 40 | 10 | 222 | 11 | 17.5 | 10.5 | 2 | 222 | 18 | 10 | 2 | 222 | M10x1.5 | 1.75 | 1.55 |
| 09 | C24230-135 | V _{1,X} | 230 | - | 135 | 24 | 22 | 21.75 | 16.5 | 40 | 12 | 165 | 9 | 14 | 8 | 2 | 165 | 15 | 8 | 2 | 165 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 290 | - | 24 | - | 21.75 | 16.5 | 40 | 12 | 258 | 11 | 17.5 | 10.5 | 2 | 258 | 15 | 12 | 2 | 258 | M12x1.75 | 1.75 | 1.55 |
| 10 | C30230-135 | V _{1,X} | 230 | - | 135 | 30 | 22 | 21.75 | 16.5 | 40 | 12 | 165 | 9 | 14 | 8 | 2 | 165 | 15 | 8 | 2 | 165 | M8x1.25 | 1.75 | 1.55 |
| | | V ₀ | - | 290 | - | 30 | - | 21.75 | 16.5 | 40 | 12 | 258 | 11 | 17.5 | 10.5 | 2 | 258 | 15 | 12 | 2 | 258 | M12x1.75 | 1.75 | 1.55 |

| No. | 型號 | | 外徑 | 外徑 | 內徑 | 齒數 | 齒幅 | 齒頂厚度 | 內部厚度 | 齒總厚度 | 固定螺栓孔 | | | | | 定位梢孔 | | | | 退出螺栓孔 | | | 有效節圓齒頂距 | 容許節圓齒頂距 |
|-----|-------------|------------------|-----|-----|-----|-----|----|-------|------|------|-------|-------|----|------|------|------|-------|------|----|-------|-------|----------|---------|---------|
| | | | | | | | | | | | 孔數 | P.C.D | 孔徑 | 上徑 | 孔徑深 | 梢孔數 | P.C.D | 孔角度 | 外徑 | 牙孔數 | P.C.D | 牙規格 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | C24270-160 | V _{1,X} | 270 | - | 160 | 24 | 24 | 21.75 | 16.5 | 40 | 8 | 195 | 11 | 17.5 | 10 | 2 | 195 | 22.5 | 10 | 2 | 195 | M10x1.5 | 1.75 | 1.55 |
| | | V ₀ | - | 330 | - | 24 | - | 21.75 | 16.5 | 40 | 12 | 300 | 13 | 20 | 12.5 | 2 | 300 | 15 | 12 | 4 | 300 | M12x1.75 | 1.75 | 1.55 |
| 12 | C30270-160 | V _{1,X} | 270 | - | 160 | 30 | 24 | 21.75 | 16.5 | 40 | 8 | 195 | 11 | 17.5 | 10 | 2 | 195 | 22.5 | 10 | 2 | 195 | M10x1.5 | 1.75 | 1.55 |
| | | V ₀ | - | 330 | - | 30 | - | 21.75 | 16.5 | 40 | 12 | 300 | 13 | 20 | 12.5 | 2 | 300 | 15 | 12 | 4 | 300 | M12x1.75 | 1.75 | 1.55 |
| 13 | C48335-220 | V _{1,X} | 335 | - | 220 | 48 | 24 | 25.75 | 20.5 | 48 | 12 | 258 | 14 | 20 | 12 | 2 | 258 | 15 | 12 | 4 | 258 | M12x1.75 | 1.75 | 1.55 |
| | | V ₀ | - | 400 | - | 48 | - | 25.75 | 20.5 | 48 | 12 | 360 | 14 | 20 | 12.5 | 2 | 360 | 15 | 12 | 4 | 360 | M12x1.75 | 1.75 | 1.55 |
| 14 | C60335-220 | V _{1,X} | 335 | - | 220 | 60 | 24 | 25.75 | 20.5 | 48 | 12 | 258 | 14 | 20 | 12 | 2 | 258 | 15 | 12 | 4 | 258 | M12x1.75 | 1.75 | 1.55 |
| | | V ₀ | - | 400 | - | 60 | - | 25.75 | 20.5 | 48 | 12 | 360 | 14 | 20 | 12.5 | 2 | 360 | 15 | 12 | 4 | 360 | M12x1.75 | 1.75 | 1.55 |
| 15 | C360335-220 | V _{1,X} | 335 | - | 220 | 360 | 14 | 24.32 | 20.5 | 48 | 12 | 258 | 14 | 20 | 12 | 2 | 258 | 15 | 12 | 4 | 258 | M12x1.75 | 0.32 | 0.27 |
| | | V ₀ | - | 400 | - | 360 | - | 24.32 | 20.5 | 48 | 12 | 360 | 14 | 20 | 12.5 | 2 | 360 | 15 | 12 | 4 | 360 | M12x1.75 | 0.32 | 0.27 |
| 16 | C48425-300 | V _{1,X} | 425 | - | 300 | 48 | 28 | 26.75 | 21.5 | 50 | 12 | 335 | 14 | 20 | 12 | 2 | 335 | 15 | 12 | 4 | 335 | M12x1.75 | 1.75 | 1.55 |
| | | V ₀ | - | 482 | - | 48 | - | 26.75 | 21.5 | 50 | 12 | 450 | 14 | 20 | 12.5 | 2 | 450 | 15 | 12 | 4 | 450 | M12x1.75 | 1.75 | 1.55 |
| 17 | C60425-300 | V _{1,X} | 425 | - | 300 | 60 | 28 | 26.75 | 21.5 | 50 | 12 | 335 | 14 | 20 | 12 | 2 | 335 | 15 | 12 | 4 | 335 | M12x1.75 | 1.75 | 1.55 |
| | | V ₀ | - | 482 | - | 60 | - | 26.75 | 21.5 | 50 | 12 | 450 | 14 | 20 | 12.5 | 2 | 450 | 15 | 12 | 4 | 450 | M12x1.75 | 1.75 | 1.55 |
| 18 | C360425-300 | V _{1,X} | 425 | - | 300 | 360 | 20 | 25.42 | 21.5 | 50 | 12 | 335 | 14 | 20 | 12 | 2 | 335 | 15 | 12 | 4 | 335 | M12x1.75 | 0.42 | 0.37 |
| | | V ₀ | - | 482 | - | 360 | - | 25.42 | 21.5 | 50 | 12 | 450 | 14 | 20 | 12.5 | 2 | 450 | 15 | 12 | 4 | 450 | M12x1.75 | 0.42 | 0.37 |
| 19 | C48540-415 | V _{1,X} | 540 | - | 415 | 48 | 32 | 29.25 | 24 | 55 | 12 | 450 | 14 | 20 | 12 | 2 | 450 | 15 | 12 | 4 | 450 | M12x1.75 | 1.75 | 1.55 |
| | | V ₀ | - | 604 | - | 48 | - | 29.25 | 24 | 55 | 12 | 570 | 18 | 26 | 16.5 | 2 | 570 | 15 | 12 | 4 | 570 | M12x1.75 | 1.75 | 1.55 |
| 20 | C60540-415 | V _{1,X} | 540 | - | 415 | 60 | 32 | 29.25 | 24 | 55 | 12 | 450 | 14 | 20 | 12 | 2 | 450 | 15 | 12 | 4 | 450 | M12x1.75 | 1.75 | 1.55 |
| | | V ₀ | - | 604 | - | 60 | - | 29.25 | 24 | 55 | 12 | 570 | 18 | 26 | 16.5 | 2 | 570 | 15 | 12 | 4 | 570 | M12x1.75 | 1.75 | 1.55 |

| No. | 型號 | D ₁ | D ₂ | d ₁ | N | F | H ₁ | H ₂ | H ₃ | N _a | P.C.D | d ₂ | d ₃ | d _h | N _b | P.C.D | K° | d ₄ | n | P.C.D | MxP | h ₀ | ±A | |
|-----|-------------|------------------|----------------|----------------|-----|-----|----------------|----------------|----------------|----------------|-------|----------------|----------------|----------------|----------------|-------|-----|----------------|----|-------|-----|----------------|------|------|
| 21 | C360540-415 | V _{1,X} | 540 | - | 415 | 360 | 24 | 28.06 | 24 | 55 | 12 | 450 | 14 | 20 | 12 | 2 | 450 | 15 | 12 | 4 | 450 | M12x1.75 | 0.56 | 0.5 |
| | | V ₀ | - | 604 | - | 360 | - | 28.06 | 24 | 55 | 12 | 570 | 18 | 26 | 16.5 | 2 | 570 | 15 | 12 | 4 | 570 | M12x1.75 | 0.56 | 0.58 |
| 22 | C72630-490 | V _{1,X} | 630 | - | 490 | 72 | 32 | 31.75 | 24 | 60 | 12 | 530 | 18 | 26 | 16 | 2 | 530 | 15 | 12 | 4 | 530 | M12x1.75 | 1.75 | 1.55 |
| | | V ₀ | - | 700 | - | 72 | - | 31.75 | 24 | 60 | 18 | 660 | 18 | 26 | 16.5 | 2 | 660 | 10 | 12 | 4 | 660 | M12x1.75 | 1.75 | 1.55 |
| 23 | C360630-490 | V _{1,X} | 630 | - | 490 | 360 | 28 | 30.67 | 24 | 60 | 12 | 530 | 18 | 26 | 16 | 2 | 530 | 15 | 12 | 4 | 530 | M12x1.75 | 0.67 | 0.58 |
| | | V ₀ | - | 700 | - | 360 | - | 30.67 | 24 | 60 | 18 | 660 | 18 | 26 | 16.5 | 2 | 660 | 10 | 12 | 4 | 660 | M12x1.75 | 0.67 | 0.58 |
| 24 | C72820-670 | V _{1,X} | 820 | - | 670 | 72 | 40 | 39.25 | 28.5 | 75 | 18 | 710 | 18 | 26 | 16 | 2 | 710 | 10 | 14 | 4 | 710 | M12x1.75 | 1.75 | 1.35 |
| | | V ₀ | - | 890 | - | 72 | - | 39.25 | 28.5 | 75 | 18 | 850 | 18 | 26 | 16.5 | 2 | 850 | 10 | 14 | 4 | 850 | M12x1.75 | 1.75 | 1.35 |
| 25 | C360820-670 | V _{1,X} | 820 | - | 670 | 360 | 34 | 38.39 | 28.5 | 75 | 18 | 710 | 18 | 26 | 16 | 2 | 710 | 10 | 14 | 4 | 710 | M12x1.75 | 0.89 | 0.78 |
| | | V ₀₂ | - | 890 | - | 360 | - | 38.39 | 28.5 | 75 | 18 | 850 | 18 | 26 | 16.5 | 2 | 850 | 10 | 14 | 4 | 850 | M12x1.75 | 0.89 | 0.78 |

■ 本公司保留產品規格，尺寸，設計特性變更之權利，恕不另行通知。